ThinkVision T27p-10 61DAMAT1EU

Product

ThinkVision T27p-10

Machine Type

61DA

Region

EMEA

Display Size

27"

View Area

596.73×335.66 mm

Panel

In-Plane Switching

Aspect Ratio

16:9

Resolution

3840x2160

Pixel Pitch

0.1554×0.1554 mm

Dot / Pixel Per Inch

163 dpi

View Angle (H / V)

178 / 178

Response Time

4 ms (Extreme mode) / 6 ms (Typical mode)

Color Support

1.07 Billion

Refresh Rate

60 Hz

Brightness

350 nits

Contrast Ratio

1000:1

Color Gamut

99% sRGB

Curvature

None

Anti-glare

Yes

Video Connector

1x HDMI 2.0, 1x DP 1.2, 1x USB-C 3.1 Gen 1 (DP 1.2 Alt Mode)

USB Por

4x USB 3.1 Gen 1 (1x BC)

Camera

None

Microphone

None

Speakers

None

Power Consumption (Typical / Maximum)

50W / 140W

Power Adapter

Integrated

Stand

Tilt, Swivel, Pivot, Height Adjust Stand

Color

Black

Side Bezel Width

2 mm

Dimensions with Stand (HxWxD)

403.3x611.6x269.8 mm / 15.88x24.08x10.62 inches

Weight (Including Stand)

6.95 kg / 15.32 lbs.

Cables Included

HDMI cable, USB Type-C to Type-C cable

Environmental Certification

Energy Star Certified, TCO 8.0, TCO Edge 2.0, EPEAT Silver, RoHS

Ergonomic Certification

TÜV Rheinland Eye Comfort

Base Warranty

3-year

Operating System Support

Support Windows 7, Windows 10

Sync Technology

None

Tiny Support / CPU / Platform

None / None / None

Ethernet / Bluetooth / Wireless

None / None / None

Touch Screen / Digitizer Pen / Battery

None / None / None

Display Ram / Storage / Card Slot

None / None / None

EAN/UPC/JAN

0193268783331 / 193268783331 / None

Announce Date

2019-05-16

L www.lenovo.com

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a



particular purpose.

https://psref.lenovo.com

Visit psref website for the latest version of Product specifications Reference.
© Lenovo, 2023. All rights reserved.



ThinkVision T27p-10

DISPLAY

Panel Size 27.0 inches

Screen Dimensions (H x V) 596.74 x 335.66mm

Panel Type
In-Plane Switching

Backlight WLED

Aspect Ratio

16:9

Resolution 3840 x 2160 pixels

Pixel Pitch (H x V) 0.1554 x 0.1554mm

Viewing Angle (H x V)

178°/178°

Response Time (gray to gray)

4ms (extreme mode)
6ms (normal mode)

Refresh Rate

60Hz

Contrast Ratio (typical)

Dynamic Contrast Ratio (typical)

3M:1

Brightness (typical)

350 cd/m2

Color Gamut sRGB (CIE 1931) 99%

Color Support 1.07 Billion

POWER

Power Consumption (Typical/Max) 50W/140W

Power Consumption Sleep/O Mode <0.5W

Power Consumption Switch O -Mode <0.3W

Power Supply

ENERGY STAR (P_{on}) 23.40W

ENERGY STAR (E_{TEC})

Voltage Required 100-240VAC (50/60Hz)

CONNECTIVITY

Video Input Signals HDMI 2.0 + DP 1.2 + USB 3.1 Type-C (DP 1.2 Alt Mode)

Video Cables Supplied USB 3.1 Type-C + HDMI

Video Cable Length

1.8m

USB Hub Yes

USB Upstream

1 x USB 3.1 Gen1 (by USB Type-C)

USB Downstream

4 x USB 3.1 Gen1 (with 1 BC)

Audio Out

Yes (3.5mm)

DIMENSIONS

Size Packed (D x H x W) 732 x 210 x 453mm/ 28.82 x 8.27 x 17.83 inches

Size Unpacked w/stand (D x H x W) (mm/inch) 269.8 x 403.3 x 611.6mm/ 10.62 x 15.88 x 24.08 inches

Size Unpacked w/o stand (D x H x W) (mm/inch) (Head Only)

45.5 x 368.4 x 611.6mm/ 1.79 x 14.5 x 24.08 inches

Weight Packed 11.00kg/24.25lbs.

Weight Unpacked 6.95kg/15.32lbs.

Weight (Monitor Head Only) 5.0kg/11.02lbs.

SPECIAL FEATURES

Smart Power* Yes

∧nti_alar

Anti-glare Yes

ThinkCentre Tiny Support Yes

Optional Soundbar Support

MECHANICAL

Tilt Angle (front/back) -5°/30°

Swivel Angle (left/right) +/-45°

Lift

Yes (110mm)

Pivot +/-90°

VESA Mount Capability
Yes (100 x 100mm)

Kensington Lock Slot

Bezel Width (Side) 2.0mm

Bezel Width (top/bottom) 2.0/24.5mm

WHAT'S IN THE BOX

Monitor with stand 1 x Power Cable 1 x HDMI Cable 1 x USB Type-C to Type-C cable Quick Setup Guide

CERTIFICATIONS

ENERGY STAR Rating 8.0

EU RoHS

Yes

CCC Yes

> Windows Certification Windows 7, Windows 10

> China Energy E ciency Standard Tier 2

TÜV Eye Comfort

TCO

TCO 8.0/TCO Edge 2.0

EPEAT Silver













Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: - 5 Gbit/s for USB 3.1 Gen1; 10 Gbit/s for USB 3.2 Gen2 & 20 Gbit/s for USB 3.2.

© 2019 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, and ThinkVision are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.

^{*}The Smart Power function intelligently detects overall power consumption and dynamically manages the power delivery to each device. 75W power delivery can be achieved when downstream USB ports are not connected and OSD brightness setting is <61.











